NIKONOV, V.A., dotsent; USTINOVA, L.A., kand.med.nauk; SHIBAYEVA, T.L., assistent

Corticosteroid hormones and ACTH in compound treatment of Botkin's disease (epidemic hepatitis). Trudy KGMI no.10:310-313 '63. (MTRA 18:1)

1. Iz kafedry infektsionnykh bolezney (zav. kafedroy - dotsent V.A.Nikonov) Kalininskogo gosudarstvennogo meditsinskogo instituta.

NIKONOV, V.A., dotsent; SHIBAYEVA, T.L., assistent

Late results of the treatment of epidemic hepatitis (Botkin's disease) according to materials on dispensary services. Trudy KCMI no.10:314-316 '63. (MIRA 18:1)

l. Iz kafedry infektsionnykh bolezney (zav. kafedroy dotsent V.A.Nikonov) Kalininskogo gosudarstvennogo meditsinskogo institute.

augurance, i.i., cremembers, i.d., compayors, v.v.

Bovenia, from a pheracite deposit, Sep. Vacs. 210. ob-va 94
no. 5000-507 105.

1. DepatviteThry chica Vaesoyumnago mineralogicheskogo
ababahastva (for Mapriyanov).

SHIBAYEVA, Yelena Alekseyevna; BLISHCHENKO, I.P., red.; ROMANOVA, N.I., tekhn.red.

[International organizations in the field of transportation and communications] Mezhdunarodnye organizatsii v oblasti transporta i sviazi. Moskva, Izd-vo In-ta mezhdunar.otnoshenii, 1960. 105 p. (MIRA 13:7)

(Communication and traffic--International cooperation)

Diagnosis of diseases of the breast. Vest. rent. i rad. 33 no.6:32-35 N-0 '58. (MIRA 12:1)

1. Iz kafedry rentgenologii i radiologii (zav. - prof. A. I., Dombrovskiy).

(EREAST, NEOPIASMS, diag.

x-ray, with & without contrast medium (Rus))

SHIBAYEVA, Z.M.

USSR/ Miscellaneous - Industrial processes

Card 1/1

Pub. 104 - 10/11

Authors

: Gel'man, V. A., and Shibayeva, Z. M.

Title

: Method of liquidating waste during kilning of large-size glass objects

Periodical : Stek. i ker. 2, 29 - 30, Feb 1955

Abstract

Announcement is made by the Ceramics and Refractories Laboratory of the Central Glass Scientific Research Institute on the development of a method for the elimination of waste during the kilning of large-size glass or ceramic objects. Some results obtained by means of the new method, are listed. Drawings; graph.

Institution:

Submitted:

KOKOVIN, V.Ye., inzh.; SHIBENKO, N.F., inzh.

Circuits for switching in ET-561 and VTN-561 relays without a
VU-25-B autotransformer. Elek.sta. 28 no.10:74-75 '57. (MIRA 10:31)

(Electric relays)

SHIBENKO, N.F., inzh.

High-voltage differential-phase protection system with operative a. c. Elek. sta. 35 no.11:76-78 N '64.

(MIRA 18:1)

KISLYY, V.I., ingh.; SHIBENKO, O.I.

Automatic steam escape regulation in stear turbine glands.
Energetik 8 no.1:30-34 Ja '60. (MIRA 13:5)

(Steam turbines) (Packing (Mechanical engineering))

SHIBER, Ruvim Abramovich; ROGACHEV, F.V., red.; RAKOV, S.I., tekhn.red.

[Practical training in railroad car repair operations] Proizvodstvennoe obuchenie vagonoremontnym professiiam. Moskva,
Vses. uchebno-pedagog. izd-vo Trudrezervizdat, 1957. 167 p.
(Railroads--Cars--Maintenance and repair) (MIRA 12:1)

SHIBER, Ruvim Abramovich; YESHCHIN, S.B., nsuchnyy red.; KOPTEVSKIY, D.Ya., red.; GOROKHOV, Tu.N., tekhn.red.

[Mechanism and maintenance of automatic brake system; methodological manual for instructors at railway and technical schools] Ustroistvo i remont avtotormozov; metodicheskoe posobie prepodavateliam zheleznodorozhnykh i tekhnicheskikh uchilishch. Moskva, Vses.uchebno-pedagog.izd-vo Trudrezervizdat, 1959. 194 p. (MIRA 12:9)

(Railroads--Brakes)

AGAFONOV, Mikhail Ivanovich; PEROV, Aleksandr Nikitich; BEKHTEREV, V.D., retsenzent; BAZHOV, I.S., retsenzent; SHIBER, R.A., retsenzent; BRAYLOVSKIY, N.G., red.; KHITROV, P.A., tekhn. red.

ERMANDER CERTIFICATION OF THE PROPERTY OF THE

[Design and repair of automatic brakes] Ustroistvo i remont avtotormozov. Izd.6., perer. i dop. Moskva, Vses. izdatel'skopoligr. obredinenie M-va putei soobshcheniia, 1961. 270 p. (MIRA 14:8)

(Railroads—Brakes)

SHIBER, R.A.; KRUGLYY, G.T.; BAZHOV, I.S., inzh., retsenzent;

SAMOKHVALOV, S.F., inzh., retsenzent; FEDOROV, V.A., inzh., retsenzent; KRUPNOV, S.A., inzh., retsenzent; YESHCHIN, S.B., inzh., retsenzent; SARANTSEV, Yu.S., inzh., red.; KHITROVA, N.A., tekhn. red.

[Design, maintenance and repair of railroad cars] Ustroistvo i remont vagonov. Moskva, Transzheldorizdat, 1963. 395 p. (MIRA 16:6)

(Railroads-Cars)

SHIBER, Ruvim Abramovich; KRUGLYY, Georgiy Tikhonovich; BAZHOV, I.S., inzh., retsenzent; SAMOKHVALOV, S.F., inzh., retsenzent; FEDOROV, V.A., inzh., retsenzent; KRUPNOV, S.A., inzh., retsenzent; YESHCHIN. S.B., inzh., retsenzent; SARANTSEV, Yu.S., inzh., red.; KHITROVA, N.A., tekhn. red.

[Arrangement, maintenance and repair of cars] Ustroistvo i remont vagonov. Moskva, Transzheldorizdat, 1963. 395 p. (MIRA 17:2)

SHIR RLE, L. M.

Dec 52

IA Links

USSR/Electricity - Distribution Systems D

"Engineering Economic Comparison of Two Circuits for a City Electric Power Network," Engr N. D. Lukanina and Engr L. M. Shiberle, Leningrad Eng Economic Inst imeni Molotov

"Elektrichestvo" No 12, pp 66-69

Gives eng economic comparison of two types of low-voltage closed circuits for sections of new multi-story dwelling on basis of planning data. Compares networks constructed on so-called semi-closed circuit and on closed circuit. Submitted 5 Nov 51.

242T30

ANISIMOV, G.T.; ROGOZHIN, Kh.S.; SHIBIN, M.S.; BAULIN, V.A., redaktor; MEDRISH, D.M., tekhnicheskiy redaktor

[Safety measures in public eating establishments; a practical manual] Tekhnika bezopasnosti v predpriiatiiakh obshchestvennogo pitaniia; prakticheskoe posobie. Moskva, Gos. izd-vo torgovoi lit-ry, 1956. 131 p. (MLRA 10:2) (Restaurants, lunchrooms, etc. - Safety measures)

KUZNETSOV, Yevgeniy Semenovich. Prinimali uchastiye: KUROPTKV, V.T.; LEYDER-MAN, S.R.; NOSOV, L.I.; PLEKHANOV, I.P.; PLESHAKOVA, T.I.; SALOSHIN, N.P.; SOKOLOV, O.V.; SHIBIN, P.V.; YAKOVLEV, A.V., MARTENS, S.L., red.; ZUYEVA, N.K., tekhn.red.

[Efficient conditions for the maintenance of motor vehicles and methods for its improvement] Ratsional'nye rezhimy tekhnicheskogo obsluzhivaniia i metodika ikh korrektirovaniia. Moskva, Avtotransizdat. Pt.1. [Every day and the first maintenance of motor vehicles] Ezhednevnoe i pervoe tekhnicheskoe obsluzhivanie. 1958. 35 p. (MIRA 13:5)

(Motor vehicles -- Maintenance and repair)

KUZNETSOV, Yevgeniy Semenovich: Prinimali uchastiye: RYTCHENKO, V.I.; ORLOV, V.P.; RUBETS, D.A.; ZAYATS, T.P.; KUROPTEV, V.T.; LEYDERMAN, S.R.; NOSOV, L.I.; SOKOLOV, O.V.; TULUKOV, G.A.; SHIBIN, P.V. LESNYAKOV, F.I., red.; DONSKAYA, G.D., tekhn.red.

[Efficient systems of maintenance and methods for their correction]
Ratsional'nye rezhimy tekhnicheskogo obsluzhivaniia i metodika ikh
korrektirovaniia. Moskva. Avtotransizdat. Pt.2. [Second stage of
motor vehicle maintenance] Vtoroe tekhnicheskoe obsluzhivanie.
1960. 98 p. (MIRA 14:3)

(Motor vehicles--Maintenance and repair)

SHIBINA, I. F.

SHIBINA, I. F.: "Pathological changes in the kidneys following the use of sulfanilamide preparations, and their prophylaxis" (Experimental investigation). Ryazan', 1955. Symian' State Medical Inst imeni Academician I. P. Pavlov. (Dissertation for the Degree of Candidate of Science of Medical Sciences)

SO: Ynizhnava Letonis', No. 41, 8 Oct 55

SHIEL EVICE, S.

SHIBILEVICH, 5.: "The form of relative equilibrium and the drawing of a rotating thread." Min Higher Education USSR. Kazan' State U imeni V. T. Ul'yanov-Lenin. Kazan', 1955.
(Dissertation for the Degree of Candidate in Physciomathematical Sciences.)

SO: Knizhnaya Letopis', No. 26, 1956

SHASHKOV, A., mayor; MYSHAKOV, V., podpolkovnik; SHIBINEVICH, Yu., mayor; KUPAERMAN, Z., podpolkovnik; TARANENKO, P., podpolkovnik.

Methodical training of officer cadets; discussion of an article by Major V. Lutskov, Candidate of Pedagogical Sciences, in "Voennyi vestnik," no. 9, 1955. Voen.vest. 36 no.2:32-39 F '56. (F' RA 9:8) (Russia--Army--Officers) (Military education) (Lutskov, V.)

SHIBINSKAYA, N.I., wrach

Optokinetic nystagmus as a method for the objective determination of visual acuity. Oft. shur. 12 no.5:306-312 57. (MIRA 13:6)

1. Iz kafedry glaznykh bolezney imeni akademika V.P. Filatova Odesskogo meditsinskogo instituta (zav. kafedroy - prof. S.F. Kal'fa). (NYSTAGMUS) (VISUAL DISCRIMINATION)

SHIBINSKAYA, N. I. Cand Med Sci -- (diss) "Objective determination of visual acuity on the basis of optokinetic mystagmus." Odessa, 1959. 13 pp (Odessa State Med Inst im N. I. Pirogov), 200 copies (KL, 49-59, 143)

-83-

SHIBINSKAYA, N.I., vrach.

Further observations on the objective determination of visual acuity. Oft. zhur 14 no.1:20-24 159. (MIRA 12:6)

1. Kafedra glaznykh bolezney (zav. - prof. S.F. Kaltfa) Odesskogo meditsinskogo instituta.

(EYE--EXAMINATION)

SHIBINSKAYA, N.I., assistent

Objective determination of visual acuity in children. Oft. zhur. 17 no.7:396-401 *62. (MIRA 16:3)

1. Iz kafedry glaznykh bolezney (zav. - prof. S.F. Kal'fa) Odesskogo meditsinskogo instituta imeni N.I. Pirogova. (EYE--EXAMINATION) (CHILDREN--CARE AND HYGIENE)

SHIBIRKIN, I.M.; YUNUSOV, Ya.B.; YAGAFAROV, M.G.

Terring diamond bits with double core assemblies. Burenie no.12:7-10 (MIRA 18:5)

l. TSekh nauchne-issledovateliskikh i proizvodstvennykh rabot neftepromyslovogo upravleniya "Ishimbaynefti".

ACCESSION NR: AP4006836

\$/0120/63/000/006/0154/0155

AUTHOR: Vishnevskiy, V. N.; Shibisty*y, A. N.

TITLE: Photoelectric meter for measuring luminescence polarization

SOURCE: Pribory* i tekhnika eksperimenta, no. 6, 1963, 154-155

TOPIC TAGS: polarization meter, luminescence polarization, photoelectric polarization meter

ABSTRACT: A photoelectric device for measuring the anisotropy of luminescence is described. Its advantages over similar devices are that no preliminary calibration is required, that the degree of polarization of luminescence can be measured directly, and that the light fluxes from which the degree of polarization is determined are received and amplified by one channel. The accuracy in measuring the degree of polarization is 1—2% of the measured quantity. A block diagram of the device is given, and the measuring technique is described. Orig. art. has: 1 figure.

Card 1/.2

ACCESSION NR: AP4006836


ASSOCIATION: L'vovskiy gosudarstvenny*y universitet (Lvov State University)

SUBMITTED: 12Jan63 DATE ACQ: 24Jan64 ENCL: 00

SUB CODE: PH NO REF SOV: 005 OTHER: 002

L 45731-65 EWT(1)/EWA(h) Peb GS ACCESSION NR: A75009630 UR/0000/64/000/000/0091/0094 AUTHOR: Vyshnevs'kyy, V. N. (Vishnevskiy, V. N.); Shybystyy, O. M. (Shibistyy, A N.) 15 Photoelectric polarimeter TITLE: Universytet. Pytannya fizyky tverdoho tila (Problems in solid SOURCE: Lvov. state physics). Lvov. Vyd-vo L'viv. univ., 1964, 91-94 TOPIC TAGS: luminescence, light yield, luminescence anisotropy, polarization measurement, photoelectric polarimeter ABSTRACT: The authors developed a polarization-investigation procedure free of some of the shortcomings of earlier photoelectric polarimeters, such as the need for a complicated calibration. The instrument measures the anisotropy and polarization of light from luminescent substances. The optical system and the electric block diagram of the installation are shown in Fig. 1 of the Enclosure. The optical system is mounted on the horizontal dial of a single-circle goniometer, and the investigated object is placed on the axis of the goniometer in a special mount with a vertical dial. The equipment is capable of performing all types of polari-**Card** 1/3

L 45731-65 C AT5009630 ACCESSION NR: zation measurements. The apparatus is described and a sample of the azimuthal dependence of the luminescence polarization of single-crystal anthracene is presented. The accuracy is estimated at 1--2%. The use of a combined photoelectric polarimeter with a single photomultiplier has many advantages over the analogous instruments described in the literature. Orig. art. has: 2 figures and 1 formula. ASSOCIATION: None SUB CODE: OP 01 ENCL: SUBMITTED: 22Jun64 OTHER: 002 006 NR REF SOV:



SHIBKO, L.K.; KHOMYAKOV, A.I.

Kueginsk efficiency innovators. Put' i put.khoz. no.9:18-20 s '57.

(MIRA 10:10)

1. Nachal'nik Kuenginskoy distantsii Zabaykal'skoy dorogi (for, Shibko). 2. Zamestitel' nachal'nika Kuenginskoy distantsii Zabaykal'skoy dorogi (for Khomyakov).

(Railroads--Management)

TOKAR', YE. G., SHIBKO, N. A.

Textile Finishing

Signalling device in finishing production. Tekst. prom., No. 6, 1952.

9. Monthly List of Russian Accessions, Library of Congress, October 1952. UNCLASSIFIED.

, ., .	, N.A. "Saccharoscope	". Sakh. prom.	31 no.6:35-36 J	e '57•	(MIRA 10:6)	
	1. TSentral noye konstruktorskoye byuro Glavmashdetali. (Sugar industryEquipment and supplies)					
·						

SHIBKO, N.A.; NEMIROVSKIY, S.A.; SHABSHAYEVICH, M.L.; RAKHLEVSKIY, I.A.

[Systems for the automation of pasteurizations deocling plants] Sistemy automatizatsii pasterizatsionno-okhladitel-nykh ustanovok. Moskva, TSentr. in-t nauchno-tekhn. informatsii pishchevoi promyshl., 1963. 61 p. (MIRA 17:4)

SHIBKO, V.

In one thick of events. Grazha. av. 22 no.8:18 Ag '65. (MIRA 18:8)

1. Fredsedatel' gruppy sodeystviya partiyno-gosudarstvennomu kontrolyu, Donetsk.

VENGRENOVSKIY, Sergey Iosifovich, nauchnyy sotr., kand. sel'khoz.
nauk; DZHELALI, Nadezhda Ivanovna, nauchnyy sotr.;
LUZHETSKAYA, Lyudmila Grigor'yevna, nauchnyy sotr., agronom;
SHIBKO, Vladimir Andreyevich, nauchnyy sotr., agronom;
ZLENKO, G., red.; MOLCHANOVA, T., tekhn. red.

SECTION OF THE PROPERTY OF THE

[Peas in Odessa Province] Gorokh na Odesshchine. Odessa, Odesskoe knizhnoe izd-vo, 1962. 78 p. (MIRA 15:6)

1. Vsesoyuznyy selektsionno-geneticheskiy institut imeni T.D.Lysenko (for Vengrenovskiy, Dzhelali). 2. Kolkhoz "Zarya kommunizma" Kodymskogo rayona (for Luzhetskaya). 3. Sel'skokhozyaystvennaya artel' "Ukraina" Kiliyskogo rayona (for Shibko).

(Odessa Province-Peas)

SHIBKOV, Anatoliy Alekseyevich; SELIVANOV, Ye.F., red.; SHEVCHENKO, F.Ya., tekhn. red.

[First women physicians in Russia] Pervye zhenshchiny-mediki Rossii]
Leningrad, Gos. izd-vo med. lit-ry Medgiz. Leningr. otd-nie, 1961.
119 p. (WOMEN AS PHYSICIANS)

SHIBKOV, A.A., polkovnik meditsinskoy sluzhby; SHEPILEVICH, V.F.

Women physicians as guardians of the health of Soviet troops.

Voen.-med.zhur. no.3:7-9 Mr '61.

(MEDICINE, MILITARY) (WOMEN AS PHYSICIANS)

(WOMEN AS PHYSICIANS)

Military medical literature of our country in the past and present.

Mina 14:8)

Voen.-med. zhur. no.5:85-87 My '61.

(NEDICINE, MILITARY-PERIODICALS)

SHIBKOV, A.A., polkovnik meditsinskoy sluzhby (Leningrad)

Russia's first women medics. Med. sestra 20 no.7:46-50 Jl '61.

(MITA 14:10)

(WOMEN AS PHYSICIANS)

Pioneers in medical education for women in Russia. Med.sestra
(MIRA 15:9)
21 no.8:48-51 Ag '62.
(MEDICINE--STUDY AND TEACHING) (WOMEN AS PHYSICIANS)

SHIBKOV, I.V., inzh.; CHEPURIN, V.M., master

Automatic turning-on and off ov the oil heater in oil switch tanks.

Elek. sta. 32 no.7:79-80 Jl '61. (MIRA 14:10)

(Electric switchgear)

Measures for preventing damage to the hydromechanical governor.

Measures for preventing damage to the hydromechanical governor.

Elek. 1 tepl. tiaga 4 no. 9:20-21 S '60. (HIRA 13:12)


1. Mashinist-instruktor depo Rubtsovka Tomskoy dorogl.

(Diesel locomotives)

SHIPKOV . I. F.

IKONNIKOV, S.S.; ISMAILOV, M.; KNORRING, I.G.; KOROLEVA, A.S.; KUDRYASHEV, S.N.; MALEYEV, V.P.; MASLENNIKOVA, T.I.; NEVSKIY, S.A.; NIKITIN, V.A.; OVCHINNIKOV, P.N.; PLESHKO, S.I.; POPOV, N.G.; SIDORENKO, G.T.; CHUKAVINA, A.P.; SHIBKOVA, L.F.; BORISOVA, A.G., redaktor; VASILICHENKO, I.T., redaktor; NEUSTRUYEVA, O.R., redaktor; ZENDEL, R.Ye., tekhnicheskiy redaktor

[Flora of the Tajik S.S.R.] Flora Tadzhikskoi SSR. Moskva, Izd-vo Akad.nauk SSSR. Vol.1. [Pteridophyta - Gramineae] Paporotnikoobraznyezleki. Glav.red. P.N.Ovchinnikov. 1957. 547 p. (MIRA 10:9) (Tajikistan-Botany)



KROTOV, A.I.; SHIBKOVA, K.C.

Complexes of diatomaceous and silicoflagellate algae in Upper Cretaceous, Paleogene, and Neogene sediments in the eastern Cretaceous, Paleogene, and Trans-Ural region. Mat.po geol. i pol. slope of the Urals and trans-Ural region. Mat.po geol. i pol. (MIRA 15:3) iskop. Urala no.9:191-249 '61.

(Ural Mountain region-Algae, Fossil)

BEIYANCHIKOV, V.N., inzh.; NOVIKOV, I.V., inzh.; ZAYTSE'. I.Ye., inzh.; AKIL'YEV, S.A., inzh.; BELKIN, V A., inzh.; Prinimali POCHKINA, L.A., inzh.; VASIL'YEV, O.A., inzh.; Prinimali uchastiye: KOPEYKINA, O.P.; SMIRNOVA, A.N.; BELKINA, S.S.; BRISMAN, SHILINA. Ye.I.; LAGUNOV, Ye.N.; REZNIK. S.Z.; BRISMAN, B.I.; KUZ'MINYKH, A.A., P. P. S. SHIEKOVA, R. Ye.; SHIEKOVA, R. Ye.; Lekhn. red.

[Operational life of parts of excavating, construction, and road machinery; a reference catalog] Sroki sluzhby detalei ekskavatorov, stroitel'nykh i dorozhnykh mashir, katalog spravochnik. Izd.2., perer. i dop. Moskva, Goskatalog spravochnik. Izd.2., perer. i dop.

l. "Stroitiyazhmashzapchast'," Tekhnicheskaya kontora. Konstruktorskoye byuro.

S-4

SHIBKOVA, S.A.

USSR/Morphology of Man and Animals (Normal and Pathologic).

Sense Organs.

Abs Jour

: Ref Zhur - Biol., No 4, 1958, 17070

Author

: Shibkova, S.A.

Inst

Afferent Innervation of the Retina.

Title

V sb: Probl. morfol. nervn. sistemy, L., Medgiz, 1956,

Orig Pub

Abstract

The retinas of fish (a skate, a Black Sea Shark) and mammals (a cow, horse and man) were impregnated according to a modified Kampos method. Complete preparations revealed nerve fibers and terminals which differed from visual nerve fibers. These structures greatly resemble the receptor apparatuses of other organs, being located directly in the retina or on the walls of blood-vessels. The retina contains 2 types of fibers: the dendrites of ganglion cells and other associated with the bundle of fibers of the

Card 1/3

... ine "receptor" dendrite differs significantly rom ordinary dendrites; it is thickened, ending in a receptor apparatus which has a variable shape and size, ap-

pearing like a claw, a ring et 2000 Such Character ap
APPROVED FOR REPEASE 125, 2000 Such Character appearance of blood-vessels or

and to the vessel walls. The recentor of the retinal tissue and to the vessel walls. The receptor fibers which are associated with the optic nerve bundle are of a different character: they are of small caliber, becoming thicker after leaving the bundle and terminating in an end apparatus. Such a fiber probably represents a collateral branch of a axon of a ganglion cell. Never branchings and terminals are often found on vessels of the retina. On capillaries they are spiral in shape, whereas on arteries and veins they have a complex form of clusters, buttons and ringlets. To evaluate the physiologic significance of

SHIBKOVA, S.A.

Retinal innervation. Probl.fiziol.opt. 12:422-428 '58 (MIRA 11:6)

1. Kafedra gistologii i embriologii Rostovskogo-na-Donu gosudarstvennogo meditsinskogo instituta.

(RETINA)

SHIBKOVA, S.A. (Postov-na-Donu, Pushkinskaya ul., 265)

Interrelationships between the vessels and nerve structures of the retina. Arkh.anat.gist.i embr. 38 no.2:39-47 F '60. (MIRA 14:6)

l. Kafedra gistologii i embriologii (zav. -prof. K.A.Lavrov) Rostovskogo meditsinskogo instituta. (RETINA)

SHIBKOVA, S.A. (Rostov n/Donu, perculok Tramvayshchikov, 9); KOROLEVA, L.V.


Cortical fibers in the retina of the monkey. Arkh. anat., gist. i embr. 46 no.2:36-42 F '64. (MIRA 17:12)

1. Laboratoriya elektrofiziologii nervnoy deyatelinosti (zav. · prof. A.B.Kogan) Rostovskogo-na-Donu gosudarstvennogo universiteta i Laboratoriya fiziologii i patologii vysshey nervnoy deyatelinosti (zav. - prof. N.I.Lagutina) Instituta eksperimentalinoy patologii i terapii AMN SSSR, Sukhumi.

SHIRKOV, S... (Econor n'ham., 2), d.r. Pessyeyshehtlev, 9)

of critical for of the activity of actd phosphatace in the inner
layers of the ratins. Arkh.eret., gist. 1 embr. 46 no.Ask2-47
Ap '64. (MIRA 18:5)

1. Laboratoriya elektrofiziologii nervnoy deystel'nosti (zav. prof. A.V.Kogan) Rostovskogo n/Domu gosudarstvennogo universitets.



CIA-RDP86-00513R001549410005-2 "APPROVED FOR RELEASE: 08/25/2000

AUTHORS:

Andreyeva, N. S., Iveronova, V. I.,

62-58-3-27/30

Kozarenko, T. D., Poroshin, K. T.,

Shibnev, V. A., Shutskever, N. Ye.

TITLE:

Investigation of the Structure of Peptides Containing

Glycine and 1-Proline (Issledovaniye struktury peptidov,

soderzhashchikh glitsin i l-prolin)

PERIODICAL:

Izvestiya Akademii Nauk SSSR,Otdeleniye Khimicheskikh

Nauk, 1958, Nr 3, pp. 376-377 (USSR)

ABSTRACT:

The investigation of peptides containing amino acids is of importance for the investigations of the structure of proteins. The stereochemical rôle of pyrrolidine rings within the configuration of the polypeptide chain has not yet been sufficiently explained. In general it is assumed that the bends of the polypeptide chains are formed in such points, where residues of proline and oxyproline are present. At present structural investigations of the peptides and polypeptides of numerous amino acids are carried out.

There have, however, only few works been published on the investigation of compounds containing amino acids. The

Card 1/2

aim of this work is the investigation of the above mentioned

Investigation of the Structure of Peptides Containing 62-58-3-27/30 Glycine and 1-Proline

structure of peptides. Glycyl-l-prolyl, l-prolylglycine, carbobenzoxyglycyl-l-prolyl and the anhydride of glycyl-l-proline were synthetized. Furthermore the first stage of the x-ray analysis of the synthetized compounds was

finished.

There are 1 table and 10 references, 1 of which is Soviet.

ASSOCIATION:

Fizicheskiy fakulitet Moskovskogo gosudarstvennogo universiteta i Institut organicheskoy khimii im.

N. D. Zelinskogo Akademii nauk SSSR

(Physics Department of Moscow State University and the Institute for Organic Chemistry imeni N. D. Zelinskiy,

AS USSR)

SUBMITTED:

October 31, 1957

Card 2/2

SHIBNEY $V \cdot A \cdot$

Poroshin, K. T., Kozarenko, T. D., Shibnev, SOV/62- 58- 9- 20/26 AUTHORS:

The Exchange Reactions Between 1-Prolylglycine-Diketopipera-TITLE:

zine and Its Dipeptides (O vzaimoprevrashchenii diketo-

piperazina l-prolilglitsina i yego dipeptidov)

Izvestiya Akademii nauk, SSSR. Otdeleniye khimicheskikh nauk, PERIODICAL:

1958, Nr 9, pp 1129 - 1132 (USSR)

Glycine, 1-proline, and α -amino acids in general are ABSTRACT:

especially important in relation to the question of the structure of collagen. The separation of considerable amounts of glycyl-l-proline and l-prolylglycine from hydrolysed collagen leads to the assumption that both dipeptides are structural elements in the protein molecule.

The protein hydrolysis has been carried out under various conditions in the past (Refs 1-3), and this makes

difficult a clear explanation of the proponderance of glycyl-L-proline and 1-prolylglycine-dipeptide in the chain.

The authors of this brief communication attempted to form a cyclic anhydride of glycyl-l-proline and l-prolyl-

glycine. They further investigated the possibility of Card 1/2

The Exchange Reactions Between 1-Prolylglycine- Diketo- SOV/62-58-9-20/26 piperazine and Its Dipeptides

hydrolysing the anhydride to the dipeptide. It was found that even under moderate conditions the anhydride of 1-prolylglycine forms glycyl-1-proline in base and 1-prolylglycine in acid. The hydrolysis of the 1-prolyl-glycine anhydride does not go to completion, but attains an equilibrium condition. The formation of cyclic anhydrides of both dipeptides is simple, especially for glycine-1-proline. There are 1 figure and 7 references, 1 of which is Soviet.

ASSOCIATION:

Institut organicheskoy khimii im.N.D.Zelinskogo Akademii nauk

SSSR (Institute of Organic Chemistry imeni N.D.Zelinskiy, AS USSR)

SUBMITTED:

March 22, 1958

Card 2/2

5(3)

AUTHORS:

Poroshin, K. T., Shibnev, V. A.,

SOV/62-59-4-23/42

Kozarenko, T. D.

TITLE:

Synthesis of Peptides Containing L-Proline and Glycine (Sintez

peptidov, soderzhashchikh L-prolin i glitsin)

PERIODICAL:

Izvestiya Akademii nauk SSSR. Otdeleniye khimicheskikh nauk,

1959, Nr 4, pp 736-738 (USSR)

ABSTRACT:

This is a short report on the investigation of the synthesis

and properties of L-prolylglycyl-L-proline, L-prolylglycyl-L-prolyl-glycine and of polymers which contain these groups in the

molecular chain. The peptides mentioned can be synthesized by the method of the mixed anhydrides (Ref 9) and the respective polymers by the method of the polycondensation of methyl

esters of these peptides. The synthesis of L-prolylglycyl-L-prolylglycine esters was carried out in two ways: 1) by gradual addition of the methyl esters of amino acids (glycine, L-proline, glycine) to carbobenzoxy-L-proline (Scheme, I);

2) by addition of the methyl ester of L-prolylglycine to carbobenzoxy-L-prolylglycine (stage A, Scheme). The

synthesized peptides and their esters were identified by

Card 1/2

Synthesis of Peptides Containing L-Proline and

SOV/62-59-4-28/42

Glycine

means of descending chromatography (Table). There are 1 table

and 11 references, 2 of which are Soviet.

ASSOCIATION: Institut organicheskoy khimii im. N. D. Zelinskogo Akademii

nauk SSSR (Institute of Organic Chemistry imeni N. D. Zelinskiy

of the Academy of Sciences, USSR)

SUBMITTED:

July 19, 1958

Card 2/2

5(3) AUTHORS:

Shibnev, V. A., Kozarenko, T. D., Poroshin, K. T. SOV/62-59-6-31/36

Committee of the state of the s

TITLE:

On the Separation of L-Proline and L-Oxyproline by the Rhodan Me Method (O vydelenii L-prolina i L-oksiprolina

rodanilatnym sposobom)

PERIODICAL:

Izvestiya Akademii nauk SSSR. Otdeleniye khimicheskikh nauk,

1959, Nr 6, pp 1132 - 1133 (USSR)

ABSTRACT:

By the rhodanyl method for the separation of L-proline and L-oxyproline the imina acids are always obtained with some impurities because of the great similarity of these acids. The one always contains an addition of the other. Therefore the method was changed somewhat so that by means of it it is possible not only to separate the L-proline required but also the L-oxyproline in a chromatographically pure form from the hydrolisate of the gelatin. The yield in L-oxyprolin obtained with this method was 12% of this imino acid contained in the gelatin. The separation of the imino acids from the gelatin was made according to Bergmann. After the separation of L-proline (pure) from the mixture of L-proline and L-oxyproline, the latter (60%) is obtained with an admixture of 40% L-proline. This mixture is treated with methanol and dry either and the powder of the imino acids thus obtained

Card 1/2

On the Separation of L-Proline and L-Oxyproline by the Rhodanilic Method

SOV/62-59-6-31/36

from methanol water is subjected to repeated re-crystallization, which leads to L-oxyproline in purest form. The L-proline contained in the methanol filtrate is then in a similar way purified from the L-oxyproline still contained in vestige, and thus finally also purest L-proline is obtained. There are 6 references, 1 of which is Soviet.

ASSOCIATION:

Institut organicheskoy khimii im. N. D. Zelinskogo Akademii nauk SSSR (Institute of Organic Chemistry ineni N. D. Zelinskiy of the Academy of Sciences, USSR)

SUBMITTED:

December 9, 1958

Card 2/2

SHIBBLEV, V.A., Care obem Sci - (alss) "Synchesis, specific enzymolysis and hydrolysis of peptides consisting of glycine and iminoacids," Mos ow, 1960, 13 pp (Institute of Organic Chemistry im N. D. Zelinskiy, AS USSR) (KL, 39-60, 114)

SHIBNEV, V.A.; KOZAFENKO, T.D.; POROSHIN, K.T.

Peptide ethers containing L-proline and glycine. Izv.AN SSSR Otd. khim.nauk no.8:1500-1506 Ag '60. (MIRA 15:5)

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR. (Peptides) (Proline) (Glycine)

POROSHIN, K.T.; SHIBNEV, V.A.; DEBABOV, V.G.; KOZARENKO, T.D.

Hydrolytic stability of some di- and tripeptides including L-proline, L-hydroxyproline and glycine. Biokhimiia 25 no.4: 693-700 Jl-Ag '60. (MIRA 13:11)

1. Laboratory of Protein Chemistry, Institute of Organic Chemistry, Academy of Sciences of the U.S.S.R., Moscow. (PEPTIDES) (HYDROLYSIS)

SHIFFEEV, V. A., POROSHITA, M. T., MADAPOV, V. G. (MSSR)

"Action of Collagenase on Synthetic Substrates."

Report presented at the 5th Int'l. Biochemistry Congress, Moscow, 10-16 Aug 1961.

SHIBNEV, V. A., DEBABOV, V. G., and KOZARENKO, T. D. (USSR)

"Preparation of Synthetic Ploymer Modeling Textured Collagen."

Report presented at the 5th International Biochemistry Congress, Moscow, 10-16 Aug 1961

POROSHIN, K.T.; SHIBHEV, V.A.; KOZARENKO, T.D.; DEBABOV, V.G.

Synthesis of pertides, analogues of a collagen fragment, composed of glycine and amino acids. Vysokom. soed. 3 no.1:122-130 Ja '61. (MIRA 14:2)

1. Institut organicheskoy khimii AN SSSR im. N.D.Zelinskogo. (Peptides)

ANDREYEVA, N.S.; DEBABOV, V.A.; MILLIONOVA, M.I.; SHIRNEV, V.A.; CHIRGADZE, Yu.N.

Synthetic polymer isomorphic with collagen. Biofizika 6 no. 2:244 (MIRA 14:4)

l. Institut biologicheskoy fiziki AN SSSR, Moskva i Institut organicheskoy khimii AN SSSR, Moskva.

(POLYMERS) (COLLAGEN)

POROSHIN, K.T.; KAZARENKO, T.D.; SHIBNEV, V.A.; DEBABOV, V.G.

Study of the action of collagenase on synthetic substrates. Biokhimia 26 no.2:244-248 Mr-Ap ¹61. (MIRA 14:5)

1. Institute of Organic Chemistry, Academy of Sciences of the U.S.S.R., Moscow. (COLLAGENASE) (PEPTIDES)

POROSHIN, K.T.; DEBABOV, V.G.; SHIBNEV, V.A.; KOZARENKO, T.D.

Synthesis of a collagenase substrate, a methyl ether of carbobenzoxy--L-prolyl-L-alanylglycyl-L-proline. Zhur.ob.khim. 31
no.9:3006-3010 S'61. (MIRA 14:9)

(Collagenase) (Ethers) (Proline)

DEBABOV, V.G.; SHIBNEV, V.A.

p-Nitrobenzyl ethers in the synthesis of peptides consisting of glycine and amino acids. Izv.AN SSSR.Otd.khim.nauk no.6:1031-1035 '62. (MIRA 15:8)

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR. (Benzyl ether) (Peptides)

ACCESSION NR: AP3000126

\$/0062/63/000/005/0870/0876

AUTHOR: Debabov, V. G.; Shibnev, V. A.

TITLE: Carbocyclohexyloxy group in the synthesis of prolyl-containing peptides

SOURCE: AN SSSR-Izvestiya-Otdeleniye khimicheskikh nauk, no. 5, 1963, 870-876

TOPIC TAGS: synthesis, peptides, electrophoresis, hexapeptide, propyl, glycine-L-prolyl-L-alanyl-glycyl-L-prolyl-L-alanine

ABSTRACT: The possibility of using carboxycyclohexyloxy-shielded amino groups in the synthesis of peptides was investigated. A series of peptides was synthesized, among them the hexapeptide glycine-L-prolyl-L-alanyl-glycyl-L-propyl-L-alanine. It was shown that hexapeptides could be divided into tripeptides (for measuring electrophoresis on the Sephadex G-25). Several aspects of the acidylated cleavage of the ether group and urethane-type shielding by amino acids and peptides with the help of HBr and acetic acid were considered. Orig. art. has: 1 table, 3 figures, 6 groups of equations and formulas.

ASSOCIATION: Institut organicheskoy khimii im. N. D. Zelinskogo Akademii nauk SSSR (Institute of Organic Chemistry, Academy of Sciences SSSR)

Card The

DEBABOV, V.G.; SHIBNEV, V.A.; BAKULINA, V.M.

Specific action of collagenase on peptides related to collagen. Izv. AN SSSR Ser.khim. no.10:1863-1865 0 '63. (MIRA 17\3)

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR i Institut biofiziki AN SSSR.

DEBABOV, V.G., kand.khim.nsuk; SHIBNEV, V.A., kand.khim.nsuk

Proteinlike polymer. Priroda 52 no.10:32-35 '63. (MIRA 16:12)

1. Institut organicheskoy khimii AN SSSR, Moskva.

DEBABOV, V.G.; SHIBNEV, V.A., kand.khim.nauk

Unusual enzymes. Priroda 53 no.3:64-67 '64.

(MIRA 17:4)

1. Institut organicheskoy khimii im. N.D.Zelinskogo AN SSSR, Moskva.

SHIBNEV, V.A.; DEBABOV V.G.

Study of regular polypeptide with a sequence of glycyl-prolyl-hydroxyprolyl isomorphous collagen. Izv. AN SSSR. Ser. khim. no.6:1043-1049 Je '64. (MIRA 17:11)

1. Institut organicheskoy khimii im. N.D. Zelinskogo AN SSSR.

SHIBNEV, V.A.; DEBABOV, V.G.; BAULINA, G.A.

Synthesis of hexapeptide with a sequence of pseudocrystalline segment of collagen molecule. Izv. AN SSSR. Ser. khim. no.6: 1049-1053 Je '64. (MIRA 17:11)

1. Institut organicheskoy khimii im. N.D. Zelinskogo AN SSSR.

SHIBNEV, V.A.

Use of ethoxyacetylene for polymerization and cyclization of tripeptides containing imino acids. Izv. AN SSSR. Ser. khim. no.8:1545-1548 Ag '64. (MIRA 17:9)

1. Institut biologicheskoy fiziki AN SSSR.

POROSHING KOTO, CHUVAYEVA, ToPo, SHIBNEV, V.A.

Effect of the nature of the amide group on the rate of cleavage of a carbocyclohexyloxy protective group during hydrobrominolysis. Izv. AN SSSR. Ser. khim. no.8:1548-1550 Ag '64. (MIRA 17:9)

1. Institut biologicheskoy fiziki AN SSSR i Tadzhikskiy gosudarstvennyy universitet im. Lenina.

CIA-RDP86-00513R001549410005-2 "APPROVED FOR RELEASE: 08/25/2000

POROSHIN, K.T., SHIBNEY, V.A., GRECHISHKO, V.S.


Synthesis of carbocyclohexyloxyamino acids. Izv. AN SSSR. Ser. khim. nc.781294-1295 '65.

1. Institut biologichoskoy fiziki AN SSSR i Institut khimii AN TadzhSSR.

SHIBNEV, V.A.; ROGULENKOVA, V.N.; ANDREYEVA, N.S.

Structural role of hydroxyproline in collagen. Biofizika 10 no.1: 164-165 '65. (MIRA 18:5)

1. Institut biologicheskoy fiziki AN SSSR, Moskva.



SHIBRYAYEV, B. F. -- "CERTAIN QUESTIONS OF THE INVESTIGATION OF STEELS APPLICABLE TO THE MANUFACTURE OF CUTTING CHISELS." Sub-12 Feb 52, Moscow Under of Labor Red Banner Petroleum Inst Inemi Academician I. M. Gurkin (Dissertation for the Degree of Candidate in Technical Sciences)

SO: Vechernaya Noskva, January-December 1952

14(5) sov/95-59-3-8/14

AUTHOR: Shibryayev, B.F., Candidate of Technical Sciences

TITLE: Oil Reservoirs Made of Aluminum Alloys (Neftyanyye rezervuary

iz alyuminiyevykh splavov)

PERIODICAL: Stroitel'stvo truboprovodov, 1959, Nr 3, pp 24-25 (USSR)

ABSTRACT: To prolong the life of the cover and the upper section of oil reservoirs for storing crude or desalted aggressive sulfurous

oil, it is recommended to manufacture these from aluminum alloys. In Giproneftemash corrosive resistance of several grades of deformable and of cast aluminum alloys has been determined; the chemical composition and mechanical properties of these are shown in Table Nr 1; carbon steel (St 3) and stainless chrome-

shown in Table Mr 1; calloon steet (2007) tested. Sets of nickel steel of lKhl8N9T-grade were also tested. Sets of samples were placed in the lower (liquid phase) part and upper

(gaseous phase) part of two reservoirs; containing crude

Card 1/3

Oil Reservoirs Made of Aluminum Alloys

CHIEF CONTROL OF THE PROPERTY OF THE PROPERTY

SOV/95-59-3-8/14

oil(1) and desalted oil(2). Results of tests carried out during 4000 hours are shown in Table Nr 2. Comparison between corrosion rates of carbon steel and aluminum alloys enables to draw conclusions as to the varying corrosion resistance of these metals in the media in which they were tested. It follows that in the lower part of reservoir 2 it is not recommended to use aluminum alloys, which corrode faster than carbon steel, whereas in the lower part of reservoir 1 carbon steel corrodes faster than aluminum alloy. Aluminum alloys are most corrosion-resistant in the upper zones (gaseous phases) of both reservoirs 1 and 2. To probe aluminum alloys in their capacity as corrosion-resisting materials suitable for covers and upper sections of reservoirs. Giprospetspromstroy has worked out a project for a cylindrical, welded trial reservoir of 1,000 cu m capacity. The six lower sections of the reservoir will be made of carbon steel St-5 and the 7th section of aluminum magnesium alloy. The aluminum top is composed of 1 central and 12 flat panels. Reservoirs

Card 2/3

Oil Reservoirs Made of Aluminum Alloys

ACCORDED TO THE CONTROL OF THE PROPERTY OF THE

SOV/95-59-3-8/14

with aluminum tops and upper sections made of aluminum alloys are being turned out by the Chernikovskiy neftepererabatyvayushchiy zavod (Chernikovsk Oil Refinery). There are 2 tables, 1 diagram, and 2 references, one of which is Soviet and one English.

Card 3/3

WORSHUMOV, Ye.S.; SHIBRYAYEV, B.F.

Using light alloys for reducing the weight of drilling rigs.

Neft.khoz. 37 no.12:1-5 D '59. (MIRA 13:5)

(Oil well drilling rigs)

s/184/60/000/004/012/021 A109/A029

Shibryayev, B.F., Candidate of Technical Sciences

Instead of Steel and Brass in Oil Refining AUTHOR:

Use of Aluminum Alloys PERIODICAL: Khimicheskoye Mashinostroyeniye, 1960, No. 4, pp. 37 - 38 TITIE

The author discusses the substitution of steel and brass by aluminum alloys in the petroleum industry. Corresion tests of aluminum alloy, 1X18+9T (1Kh18N9T) Ward St. 3 steel pipings of depropanizers in the Novo-Kuybyshevskiy neftepererabatyvayushchiy zavod (Novo-Kuybyshev Oil Refinery) during 10,800 h showed a higher corrosion resistance of aluminum alloys. Mechanical properties and chemical composition of these alloys are given in Table 1 and corrosion tests results in Table 2. Corresion resistance of aluminum alicys is considerably higher than that of carbon steels and close to 1KL18N9I steel. Aluminum alloys possess high plastic properties, therefore inner parts of fractionating columns can be obtained by cold pressing. By use of Al aluminum alloy the weight of 30 ribbed valves in the depropanizer column will be reduced by 65%. In 1959 condensing, cooling and heat-exchanging equipment of NO 70-1 (LO 70-1) brass was

replaced by parts made of aluminum-magnesium alloys. AMr (AMg) alloy condenser

Card 1/3

s/184/60/000/004/012/021 A109/A029

Use of Aluminum Alloys Instead of Steel and Brass in Oil Refining

pipes of a catalytic cracking installation operated at a pressure of 0.3 - 0.5 atm; gasoline vapors were formed at 140 - 150°C. Pipes made of the same alloy were tested in the condenser of a depentanizer operating under the influence of pentane which enters at a pressure of 4 atm and 45 - 55°C. Four heat-exchangers which serve as gasoline condensers of the combined installation head were tested under the following conditions: pressure in the vessel 2 atm, in pipes 1.5 atm; medium in the vessel: gascline vapors formed at 130°C, on pipes: water of 25 - 30°C. Pipes were made of AMg alloy, grids of AMg5V alloy. Another four heat-exchangers of AMg alloy are part of a desalting installation still under construction. Operation medium: desalted oil entering the vessel under 6 atm at 90°C; in pipes; petroleum of 25 - 30°C, pressure 12 atm. No defects were observed during operation. There are 2 tables and 1 Soviet reference.

Card 2/3

CIA-RDP86-00513R001549410005-2" APPROVED FOR RELEASE: 08/25/2000

361419 \$/137/62/000/003/133/191 A052/A101

18.115/

AUTHORS: D'yakov, V. G., Shibryayev, B. F., Myagkov, M. P.

TITLE: Steels for fasteners of the high-temperature flange couplings

PERIODICAL: Referativnyy zhurnal, Metallurgiya, no. 3, 1962, 46, abstract 31285

("Novosti neft. i gaz tekhn. Neft. oborud. i sredstva avtomatiz.",

no. 3, 1961, 29-32)

TEXT: Steels 30X (30Kh), 38XA(38KhA) and X18H25C2 (Kh18N25S2) were investigated. Their composition (in %): 30Kh - 0.35 C, 1 Cr, 0.15 Cu; 38KhA - 0.4 C, 1.2 Cr, Cu traces; Kh18N25S2 - 0.33 C, 0.81 Mn, 17.5 Cr, 24.4 Ni, 2.45 SL 30Kh and 38KhA steels after the heat treatment have a high strength, ductility and toughness. They can be used for fasteners in equipment and pipe-lines working at temperatures up to 400°C, in particular instead of fasteners made of 30XHA(30KhMA) steel. Kh18N25S2 steel in a heat-treated state has high mechanical properties. Up to 600°C inclusive this steel is not liable to the heat brittleness. However, in respect of the heat resistance Kh18N25S2 steel is noticeably inferior to 4X14H14B2M (4Kh14N14V2M) steel.

[Abstracter's note: Complete translation]

T. Rumyantseva

Card 1/1

SHIBRYAYEV, B.F.; D'YAKOV, V.G.

Experience in operating the condenser refrigerating equipment cooled by sea water at the petroleum refinery of the Anglo-Egyptian Company in Suez. Khim.i tekh.topl.i masel 6 no.1:71-72 Ja '61.

(Suez, Egypt—Petroleum refineries)

(MIRA 14:3)

CIA-RDP86-00513R001549410005-2"

D'YAKOV, V.G.; SHIBRYAYEV, B.F.

Control of the corrosion of heat exchanging brass pipes at petrolsum refineries. Khim.i tekh.topl.i masel 6 no.3:45-48 Mr '61.

(Heat exchangers—Corrosion)

APPROVED FOR RELEASE: 08/25/2000

SHREYBER, Gennadiy Konstantinovich, dots., kand.tekhn.nauk;

SHIBRYAYEV, Boris Filippovich, dots. kand. tekhn. nauk;

POLFEROV, Aleksandr Pavlovich, dots.; PERLIN, Samuil

Mendeleyevich, inzh.; RASTOVA, G.V., ved. red.; VORONOVA,

V.V., tekhn. red.

[Building materials in the petroleum, petrochemical, and gas industries] Konstruktsionnye materialy v neftianoi, nefte-khimicheskoi i gazovoi promyshlennosti; spravochnoe rukovodstvo. [By]G.K.Shreiber i dr. Moskva, Gostoptekhizdat, 1962. 381 p. (MIRA 16:3)

(Building materials) (Chemicals industry)
(Petroleum industry)

L 10587-63 EPR/EPF(c)/FWT(1)/EPF(n)-2/EWG(k)/EWP(q)/EWT(m)/T-2/HDS
AEDC/AFFTC/ASD/ESD-3/SSD Pr-U/Pu-U/Pz-U/Ps-U WW/WH/JG

ACCESSION NR: AP3000947

s/0064/63/000/003/0072/0075

AUTHOR: Shibryayev, B. F.; Pavlovskaya, Ye. I.

TITLE: Metal-ceramic filters 2

SOURCE: Khimicheskaya promyshlennost!, no. 3, 1963, 72-75

TOPIC TAGS: metal-ceramic filters, ceramet, Ni, Ag, brass, bronze, stainless steel, Monel metal, Zr, V, Nb, Ti, Ta

ABSTRACT: Extensive description is given for each step in the production of ceramet filters. These include the methods for preparing the metal powders with smooth spherical surfaces, e.g. atomizing the melt in air or water; pressing the desired particle size fraction and sintering. Data given shows relationship between filter permeability and pore size, pressure drop and filter thickness. Ceramet filters are stable, highly porous, have good permeability and give remarkable sharpness in filtration. They can be made to a prescribed pore size, corrosion resistance, thermal stability and heat conductivity by selecting a suitable metallic material such as Ni, Ag, brass, bronze, stainless steel, Monel metal, the carbides, nitrides, borides of Ar, V, Nb, Ti, Ta. Orig. art. has: 3 tables and 6 figures.

Card 1/2/

SHIBRYAYEV, B. F.; PAVLOVSKAYA, Ye. I.

Metal-ceramic filters. Khim. prom. no.3:232-235 Mr 163. (MIRA 16:4)

(Filters and filtration) (Ceramic materials)

"APPROVED FOR RELEASE: 08/25/2000 CIA-RI

CIA-RDP86-00513R001549410005-2

L 19906-63

EWP(k)/EWP(q)/EWT(nq)/EWP(B)/BDS

AFFTC/ASD Pf-4

-∏ JI)

ACCESSION NR: AP3005814

s/0226/63/000/004/0061/0066

.

AUTHOR: Shibryayev, B. F. (Moscow)

)

TITLE: Relation of pore sizes and filtration fineness of metal-powder filters to the fractional composition of spherical powder

SOURCE: Poroshkovaya metallurgiya, no. 4, 1963, 61-66

TOPIC TAGS: filter, metal powder filter, pore size, permeability, grain fraction, spherical powder

ABSTRACT: The relation of grain diameters to pore sizes and permeability of filters has been studied. Variation of pore sizes in metal-powder filters with spherical grains (of a given fraction composition) with respect to packing pattern is discussed. A formula is presented which shows the relation of pore diameter d to the diameter of spherical particles a ; d = 0.155a (for filters made of densely the diameter of spherical particles of equal size). In reality, the particles are neither packed spherical particles of equal sizes; therefore, the formula d = 0.1 a strictly sperical nor are they of equal sizes; therefore, the formula d = 0.1 a should be used. The ratio a/d for the majority of samples varies from 2.h to 6.5, i.e., d = 0.155a_{min} to 0.h0a_{max}. This relation was checked against the practical results obtained with a metal-powder filter made of low-carbon steel with coin-Cord 1/2

"APPROVED FOR RELEASE: 08/25/2000

CIA-RDP86-00513R001549410005-2

L 19906-63

ACCESSION NR: AP3005814

shaped particles (50 x 3 mm), pressed under 196-29k Mn/m², and sintered at 1.200-1250C. The loss dust (0.01%) served as a polluter in the filtrating fluid. The author concludes that the finer the filter powder (or the greater the fluid thickness) the more reason there is for the application of the relation d = 0.15 amin (for particle diameters 0.3-0.k mm). The permeability of thin filters made of coarse powders (0.k mm and larger) should be determined according to the largest particles which pass through the filter or according to the relation d = 0.kamax. Orig. art. has: 6 tables, 2 figures, and 3 formulas.

ASSOCIATION: none

SUBMITTED: 230ct62

DATE ACQ: 06Sep63

ENCL: 00

SUB CODE: ML

NO REF SOV: 001

OTHER: 002

Card 2/2

ACCESSION NR: AP4029210

8/0226/64/000/002/0089/0098

AUTHOR: Lev, M. B. (Moscow); Pavlovskaya, Ye. I. (Moscow); Shibryayev, B. F. (Moscow); Barkan, B. L. (Moscow)

TITLE: Obtaining spherical iron powder by the method of atomizing fused metal

SOURCE: Poroshkovaya metallurgiya, no. 2, 1964, 89-98

TOPIC TAGS: spherical powder, spherical 'ron powder, Armco iron, 10 steel, 30 steel, 45 steel

ABSTRACT: The authors describe the effect of various factors (design of the burner, carbon content in the atomized metal, preliminary annealing, air pressure, distance from burner to water level in the powder gathering chambers, etc.) on the yield of Armco iron and Nos. 10, 30 and 45 steels are given in tables, which include the granulometric composition and pressability. The design and description of a device for atomizing fused metal by water is shown. The first results of its operation are given. The authors find it difficult to say which variant of atomizing will be preferable. It is entirely possible that both methods will be used depending upon specific conditions. Orig. art. has: 8 figures and 7 tables.

Card 1/2

									12.7
		• , • •						j	: :
	ACCESSION NR: AP4029	210				<u> </u>	· · · · · · · · · · · · · · · · · · ·		
	ASSOCIATION: none			•	•			7	
	SUBMITTED: 14Feb63		DATE ACQ:	28Apr64			ENCL: 0	0	
	SUB CODE: ML		NO REF SOV:	005			OTHER: 00	0	
		ı					•••		
		•							
	4								
				•					
		• •							
•	Card 2/2	······································							
								1.7	